

# alpine linux



“  
Configuration sous **LXC**

## Config timezone

```
setup-timezone -z Europe/Zurich && date
```

## Ajout de dépôt

```
vim /ect/apk/repositories  
https://dl-cdn.alpinelinux.org/alpine/edge/main  
https://dl-cdn.alpinelinux.org/alpine/edge/community  
https://dl-cdn.alpinelinux.org/alpine/edge/testing
```

# Mise à jours & installation des paquet par exemple docker.

```
apk update && apk upgrade
apk add curl wget vim httpd openssh nmon neofetch docker
```

## Démarrage auto du service

```
rc-update add docker default
/etc/init.d/docker start
```

## Connection root ssh

```
rc-update add sshd default
vim /etc/ssh/sshd_config
service sshd start
reboot
```

## Config docker

```
service docker status \
&& mkdir -p /usr/local/lib/docker/cli-plugins \
&& curl -SL "https://github.com/docker/compose/releases/download/v2.5.0/docker-compose-linux-x86_64" -o /usr/local/lib/docker/cli-plugins/docker-compose \
&& chmod +x /usr/local/lib/docker/cli-plugins/docker-compose \
&& rc-service docker restart \
&& rc-update add docker boot \
service docker start
```

---

Revision #4

Created 2022-06-13 14:21:52 UTC by Bruno Azoulay

Updated 2022-06-13 15:02:57 UTC by Bruno Azoulay